
32. REFERENCES

CHAPTER 1

- [1-1] The Compact Muon Solenoid Technical Proposal, CERN/LHC 94-38.
- [1-2] Report on the CMS Magnet Review held at CERN on October 7th-8th 1996, Preliminary Design Review Committee. Chairman, T. Taylor, CERN. Members: E. Baynham, Rutherford Appleton Laboratory, L. Bottura, CERN, H. Desportes, CEA-Saclay, M. Huguet, ITER, P. Komarek, Forschungszentrum, Karlsruhe, D. Leroy, CERN, W. Maurer, Forschungszentrum, Karlsruhe, R. Parodi, INFN-Genova, H. Schneider-Muntau, National High Magnetic Field Laboratory, Tallahassee, H. ten Kate, CERN, B. Turk, CEA-Cadarache, A. Yamamoto, KEK.

CHAPTER 6

- [6-1] R. Loveless, F. Feyzi, Magnetic and Structural Analysis of the CMS Endcaps, CMS TN 94-293, 1 Dec., 1994.
- [6-2] C. Pes, Magnetic forces on the CMS coil due to misalignment, Internal Report CEA/DAPNIA 5C2100T M-1000 013 97.
- [6-3] C. Pes, Efforts sur la bobine en position excentrée, Internal Report CEA/DAPNIA 5C2100T M-0000 042 94.
- [6-4] S. Farinon, P. Fabbriatore, Preliminary magnetic analysis of CMS magnet, INFN Genova, Group report N.INFN-GE-SC97-02.

CHAPTER 7

- [7-1] H. Gerwig / CERN, Structural Analysis of CMS Central Barrel Yoke and Vacuum Tank, Preliminary Design Report 1996, Part 1.
- [7-2] AISC, Manual of Steel Construction, Allowable Stress Design, Ninth Edition.
- [7-3] CASTEM 2000, Commissariat à l'Energie Atomique (CEA), Finite element program.
- [7-4] B. Wands / FNAL, Finite Element Analysis of the CMS Central Barrel Yoke and Vacuum Tank, Preliminary Design Report 1996, Part 1.
- [7-5] F. Sanchez, H. Gerwig, Mechanical behaviour of the Ferris wheel, CMS Internal Note, IN - 1997/008.
- [7-6] F. Sanchez, H. Gerwig, Universidad de Vigo, Escuela Tecnica Superior de Ingenieros Industriales / CERN, Final project of studies: Comportamiento estructural de la rueda Ferris, Geneva 1997.
- [7-7] Firma Nagel GmbH & KoKG, Eichtal Germany.
- [7-8] Feyzi et al., Barrel yoke central section finite element analysis report, CMS TN 94-277, 1994.

CHAPTER 8

- [8-1] R. Loveless, F. Feyzi, Magnetic and Structural Analysis of the CMS Endcaps, CMS TN 94-293, 1 Dec., 1994.
- [8-2] American Institute of Steel Construction, Manual of Steel Construction, Allowable Stress Design, 9th ed. Dec., 1995.
- [8-3] R.J. Roark, W.C. Young, Formulas for Stress and Strain, 5th ed. McGraw-Hill Book Company, 1975, Table 17, case 7.

- [8-4] Ditto [8-3], Table 16, case 1.
- [8-5] Ditto [8-3], Table 37, case 7a.
- [8-6] L. Greenler, F. Feyzi, R. Loveless, Structural analysis of the YE1 endcap disk, CMS TN 95-117, 1 Dec., 1995.

CHAPTER 9

- [9-1] H. Gerwig / CERN, Structural Analysis of the CMS Central Barrel Yoke and the vacuum tank, Preliminary Design Report 1996, Part 1.
- [9-2] Engineering Analysis Report, EAR-171, FNAL, Bob Wands 1996.
- [9-3] B. Wands / FNAL, Finite Element Analysis of the CMS Central Barrel Yoke and Vacuum Tank, Preliminary Design Report 1996, Part 1.
- [9-4] B. Levesy, Dimensionnement général solénoïde et enceinte à vide, Internal Report DAPNIA/STCM, 5C2100TM-096.
- [9-5] B. Levesy, Loads due to the solenoid suspension on the vacuum tank, Internal Report CEA/DAPNIA 5C2100TM-3000 002 SB.

CHAPTER 10

- [10-1] Agreement No K 292/PPE with ESAB (S) and TTS (N), Studies and realisation of an electroslag welding test and Endcap production for the CMS experiment.
- [10-2] Dr. M. Harzenmoser, A. Sutter, Electroschlacke-Schweissungen für das CMS-Experiment am CERN, EMPA report, Prüfbericht nr 165'885/1.
- [10-3] Dr. M. Harzenmoser, A. Sutter, Electroschlacke-Schweissungen für das CMS-Experiment am CERN, EMPA report, Prüfbericht nr 165'885/2.
- [10-4] Electroslag Welding Tests for the Endcap of the CMS Magnet, M. Harzenmoser, EMPA; T. de Visser, J.P. Grillet and G. Waurick, CERN; F. Feyzi, University of Wisconsin, Physical Sciences Laboratory; S. Carlson, ESAB AB, Göteborg, Sweden; I. Keim, TTS, Drøbak, Norway; submitted to Eurojoin 3.

CHAPTER 11

- [11-1] J.M. Baze, H. Desportes, R. Duthil, C. Lesmond, J.C. Lottin, Y. Pabot, Conceptual Design of the CMS 4 T Solenoid, DAPNIA/STCM/92-01.
- [11-2] H. Desportes et al., Design, Construction and Test of the Large Superconducting Solenoid ALEPH, MT-10 Boston/USA 1987.
- [11-3] K.T. Hartwig, Strength and Resistivity Changes caused by Cyclic Strain at 4.2 K in pure aluminium, (and all attached references), ICEC Shenyang, China.
- [11-4] J.P. Egan and R.W. Boom, Measurement of the electrical resistivity and thermal conductivity of high purity aluminium in magnetic fields, Advances in Cryogenic Engineering (Material) 1990, Vol. 36.
- [11-5] K.T. Hartwig, Cyclic Strain Resistivity in pure aluminium at 20 K, Advances in Cryogenic Engineering (Material) 1990, Vol. 36, p. 725.
- [11-6] J.C. Lottin, Conception du bobinage, CMS Internal Report DAPNIA/STCM, 5C2100T--1000 001 91.
- [11-7] J.C. Lottin, Permissible stress on the CMS Coil, Internal Report DAPNIA/STCM, 5C2100TT-091.
- [11-8] J.C. Lottin, Mechanical computation on ribbon and block conductor, Internal Report DAPNIA/STCM, 5C2100TM-110097.

-
- [11-9] S. Waeffler, Essais: Mesures de résistance sur le solénoïde d'ALEPH, Internal Report DAPNIA/STCM, C-2100TF-1000 009 96.

CHAPTER 12

- [12-1] I.L. Horvath, Aluminium Stabilised Cables for Very Large Superconducting Magnets, 14th Int. Conf. on Magnet Technology, Tampere, June 1995.
- [12-2] I.L. Horvath, ATLAS 200 m SC Conductor Test Report, CERN Contract No. CA1064658, June 1996.
- [12-3] R.P. Smith et al., The Aluminium Stabilised Conductor for the Fermilab D0 Solenoid, 16th Int. Cryogenic Eng. Conf. May 1996 Kitakyushu, Japan.
- [12-4] H. Eriksson (Edit.), The Aluminium Stabilised Conductor for KEK, Test Report, Outokumpu Copper Superconductors February 1997.
- [12-5] P. Fabbriatore et al., The Superconducting Magnet for the BABAR Detector of the PEP-II B Factory at SLAC, IEEE Trans. on Magnetics Vol. 32. No.4 July 1996, p. 2210.
- [12-6] B. Curé, Strand critical current of the insert extruded on 14/01/97 at Cortaillod, Internal Report DAPNIA/STCM, 5C2100TF-110097.

CHAPTER 13

- [13-1] E. Baynham and D. Evans, Adhesive Properties at Low Temperatures of Epoxy Resin, Resin Pre-Impregnated Tape, Nonmetallic Materials and Composites at Low Temperatures 3, Hartwig and Evans (Editors) Plenum Publishing Corp. 1986.
- [13-2] J.M. Rey, Mesures d'évolution de la viscosité des résines pendant la polymérisation, Internal Report DAPNIA/STCM, 5C2130TM-1200 007 95.
- [13-3] J.M. Rey, Mesures de contraction de polymérisation en phase solide, Internal Report DAPNIA/STCM 5C2130TM-1200 008 95.
- [13-4] J.M. Rey, Mesures de densité des résines solides, Internal Report DAPNIA/STCM 5C2130TM-1200 009 95.
- [13-5] J.M. Rey, Mesures mécaniques de cisaillement des joints collés utilisant des résines d'imprégnation, Internal Report DAPNIA/STCM.
- [13-6] J.M. Rey, Caractérisation de l'évolution de la viscosité de résines d'imprégnation lors des paliers isothermes, Internal Report DAPNIA/STCM 5C2130TM-1200 011 95.
- [13-7] J.M. Rey, Estimation des propriétés mécaniques d'un composite réalisé à partir de ruban de fibre de verre, Internal Report, DAPNIA/STCM 5C2130TM-1200 016 96.
- [13-8] J.M. Rey, Mesure de la contrainte de cisaillement sur des joints collés: caractérisation du pré-imprégné DELPHI, Internal Report DAPNIA/STCM, 5C2130TM-1200 01797.
- [13-9] J.M. Rey, Mesure de la contrainte de cisaillement sur des joints collés: caractérisation du préimprégné IVA, Internal Report DAPNIA/STCM, 5C2130TM-1200 018 97.

CHAPTER 14

- [14-1] A. Desirelli, Status of the CMS coil mechanical FEA, CMS NOTE, 1997, 035.
- [14-2] S. Farinon and P. Fabbriatore, Impact of winding configuration on stresses of CMS conductor, INFN Genova-Group Report No. INFN-GE-SC97-05.

-
- [14-3] C. Pes, Mechanical stress analysis on the CMS coil: Block conductor, Internal Report DAPNIA/STCM, 5C2100TM-1000 017 97.
- [14-4] A. Desirelli, Analysis procedures and criteria for the mechanical FEA of the CMS coil at CERN, CEA and INFN, CMS NOTE, 1997, 034.
- [14-5] S. Farinon and C. Pes, Coil Mechanical Analysis - Single unit configuration, Internal Report DAPNIA/STCM, 5C2100TM-1000 008 96.
- [14-6] P. Fabbriatore, S. Farinon and R. Musenich, Study on the possible use of high strength pure Al for the conductor of CMS coil, INFN Genova-Group Report No. INFN-GE-SC97-01.
- [14-7] S. Farinon and P. Fabbriatore, Preliminary magnetic analysis of CMS magnet, INFN Genova-Group Report No. INFN-GE-SC97-02.
- [14-8] S. Farinon, Revised mechanical FEA calculations, INFN Genova-Group Report N°INFN-GE-SC97-03.
- [14-9] P. Fabbriatore and S. Farinon, Mechanical analysis on CMS winding, INFN Genova-Group Report N°INFN-GE-SC97-04.
- [14-10] C. Pes and S. Farinon, Coil Mechanical Analysis - Single unit configuration, 5C2100TM-100096.
- [14-11] C. Pes, Analyse mécanique du solénoïde CMS, 5C2100TM-095 - Mécanique 276TC56.
- [14-12] B. Gallet, Essais mécaniques sur l'aluminium du conducteur ALEPH-VAC, CEA Report No. DSM DAPNIA STCM 276TC02.
- [14-13] A. Desirelli, B. Gallet, F. Kircher, J.M. Rey, Failure criterion of glass/epoxy composites as electrical insulation for large SC magnets, ICMC, Portland, Oregon, USA 28 July - 1 August 1997.
- [14-14] D.E. Baynham, D. Evans, S.J. Gamage, R.J.S. Greenhalgh, D. Morrow and S.J. Robertson, Transverse mechanical properties of glass reinforced composites, Report CLRC: AECT/70/96 Nov. 1996.
- [14-15] A. Desirelli, S. Horvath, S. Sgobba, Experimental assessment of the CMS conductor, CMS NOTE 1997, 033.

CHAPTER 15

- [15-1] F.P. Juster, P. Fabbriatore et al., IEEE TRANS. APPL. SUPERCOND, 5 (2) p.377-380, 1995.
- [15-2] M.N. Wilson, Superconducting Magnets, Clarendon Press, Oxford 1983.
- [15-3] D.C. Elrod, G.E. Giles and W.D. Turner, ORNL/NUREG/CSD 2/V2, Union Carbide Corp., Nuclear Div., Oak Ridge National Laboratory, 1981.
- [15-4] R. Fast et al., Design report for an indirectly cooled 3-m diameter superconducting solenoid for the FermiLab collider detector facility, FermiLab, TM-1135, 1982.
- [15-5] P. Fabbriatore and R. Musenich, Superconducting magnets for detectors of large colliders, Nuclear Physics B, 44, p 667-671, 1995.
- [15-6] R. De Lorenzi, P. Fabbriatore, S. Farinon, G. Gemme, R. Musenich, R. Parodi, S. Pepe, B. Zhang, Status report of the INFN R&D activities for Al-stabilised conductors of large magnets for LHC detectors, INFN/TC-94/05 22 Aprile 1994.
- [15-7] P. Fabbriatore, L. Boldi, R. Musenich, R. Parodi and G. Gemme, Stability of Al-stabilised Conductors for High Energy Physics Application, contributed paper to

ASC 1996.

CHAPTER 16

- [16-1] B. Curé, Quench-back protection studies and modelisation, Internal Report CEA/DAPNIA 5C2100T T-1000 005 SC.
- [16-2] B. Curé, Synthesis of quench-back protection studies, Internal Report CEA/DAPNIA 5C2100T T-1000 012 SA.
- [16-3] C. Lesmond, B. Curé, Quench protection studies, Internal Report CEA/DAPNIA 5C2100T T-1000 006 SA.
- [16-4] C. Lesmond, CMS electrical circuit, Internal Report CEA/DAPNIA 5C2100T F-1000 007 SA.
- [16-5] S. Farinon, Current diffusion effect, Internal Report INFN/Genoa I-2100T--1100 012 96.
- [16-6] B. Curé, Voltages during quench, Internal Report CEA/DAPNIA 5C2100T F-4000 005 SA.
- [16-7] J.C. Lottin, Gradation du conducteur, Internal Report CEA/DAPNIA 5C2100T--1100 011 96.
- [16-8] B. Curé, Quench propagation analytical calculations, Internal Report CEA/DAPNIA 5C2100T T-1000 014 SA.
- [16-9] B. Curé, Calcul de la pression magnétique dans la frette, Internal Report CEA/DAPNIA 5C2100T F-1300 001 96.
- [16-10] B. Curé, Induced forces in the quench-back cylinder, Internal Report CEA/DAPNIA 5C2100T F-1300 004 SA.

CHAPTER 17

- [17-1] J.P. Lottin., Pressure drop in the CMS coil helium circuits, Internal Report CEA-STCM, 5C2100T--5000 003 SA.
- [17-2] J.C. Lottin, R. Duthil, ALEPH Solenoid Cryogenic System, ICEC-12, Southampton, 1988, p.117.
- [17-3] B. Curé, Calcul des pertes en régime variable, Internal Report CEA-STCM, 5C2100T--5000 004 SA.
- [17-4] J.P. Lottin., Séquences cryogéniques, Internal Report CEA-STCM, 5C2100T-5000 002 SA.

CHAPTER 18

- [18-1] B. Levesy, Solenoid suspension dimensioning, Internal Report CEA-STCM 5C2100TF-1400 001SC, and Loads due to the solenoid suspension on the vacuum tank, Internal Report CEA-STCM 5C2100TM-3000 002 SC.
- [18-2] B. Wands / FNAL, Finite Element Analysis of the supporting system of the CMS coil, in reference to the vacuum tank.

CHAPTER 20

- [20-1] C. Lesmond, Disposition et encombrement de la résistance de protection, CEA/STCM Internal Report, 5C2100T-4000 001 96.
- [20-2] C. Lesmond Implantation générale externe, Puissances électriques et débits d'eau du circuit électrique du solénoïde, CEA/ STCM Internal Report, 5C2100N--0020 001

96.

CHAPTER 22

- [22-1] R. Barrillère, F. Perriollat CMS DCS: User Requirements Document, 01 February 1996.
- [22-2] J. Feyt, E. Sbrissa, S. Waeffler, XMS: User Requirements Document in preparation.

CHAPTER 23

- [23-1] A.F. Clark, G.E. Childs and G.H. Wallace, Electrical resistivity of some engineering alloys at low temperatures, *Cryogenics* 10, 295, 1970.
- [23-2] S.H. Kim and S.T. Wang, Measurements of mechanical and electrical properties of high purity aluminium, *Adv. Cryog. Eng.* 24, 485, 1978.
- [23-3] R.P. Reed, Aluminium 2, A review of deformation properties of high purity aluminium and dilute aluminium alloys, *Cryogenics* 12, 259, 1972.
- [23-4] P. Fabbriatore, G. Gemme, R. Musenich, R. Parodi, Critical current measurements on the cables for LHC detectors magnet, 14th International Conference on Magnet Technology, Tampere, 1995.
- [23-5] V. Esslinger, R. Flükiger, I.L. Horvath, B. Seeber, Measurements on the residual resistivity ratio (RRR) of high purity aluminium under cyclic mechanical stresses, 14th Int. Conf. on Magnet Technology, Tampere, June 1995.
- [23-6] I.L. Horvath, Aluminium stabilised superconducting cable development for high energy physics detector magnets, Applied Superconductivity Conference, Oct. 16.-21, 1994, Boston, USA.
- [23-7] D. Fritz, I.L. Horvath, M. Harzenmoser, J. Neuenschwander, F. Wittgenstein, Development of an aluminium stabilised reinforced superconducting conductor, 14th International Conference on Magnet Technology, June 11-16, 1995, Tampere, Finland.
- [23-8] I.L. Horvath, T. Lüthi, J. Neuenschwander, High-current superconducting cables: application of ultrasonic testing during development and production, DACH Annual Conference on Nondestructive Testing of Materials, May 13-15, 1996, D-Lindau / Germany DGZfP Vol. 52.1, p. 251.
- [23-9] I.L. Horvath, R. Huwiler, Th. Lüthi, W.J. Muster, J. Neuenschwander, Qualification of advanced cryogenic components: Mechanical integrity of high current superconducting cables, *Recent Res. Devel. in Cryogen.*, Vol. 1, 1996, p. 7.
- [23-10] D. Fritz, I.L. Horvath, M. Harzenmoser, J. Neuenschwander, F. Wittgenstein, Development of an aluminium stabilised reinforced superconducting conductor, 14th Int. Conf. on Magnet Technology, Tampere, June 1995.
- [23-11] I.L. Horvath (Edit.), Electron beam welding on CMS conductor reinforcement, CERN Contract No. CA 1067563, March 1996.
- [23-12] B. Curé, Strand critical current measurements, Internal Report CEA/DAPNIA 5C2100T F-1100 031 96.
- [23-13] F. Kircher, Mesure des courants critiques de brins, Internal Report CEA/DAPNIA 5C2100T F-0000 049 94.
- [23-14] B. Gallet, Conducteur ALEPH, Caractérisation de l'interface câble supraconducteur aluminium, Internal Report CEA/DAPNIA 5C2100T F-0000 044 94.
- [23-15] F. Kircher, Mesure du RRR de l'aluminium, Internal Report CEA/DAPNIA

5C2100T F-0000 047 94.

- [23-16] J.M. Rey, Regnier, Synthèse des résultats de l'étude de la diffusion Cu/Al sur le conducteur ALEPH, Internal Report CEA/DAPNIA 5C2100T F-1100 001 95.
- [23-17] B. Curé, FE modelisation of Aluminium/Rutherford-cable electrical contact, Internal Report CEA/DAPNIA 5C2100TF-1100 026 96.
- [23-18] B. Curé, Micrographical analysis of soldered conductor, Internal Report CEA/DAPNIA 5C2100TM-1100 044 97.
- [23-19] B. Gallet, Essais de cisaillement sur éprouvettes en alliage 6060T5 soudées par brasures tendres (crèmes de brasage), Internal Report CEA/DAPNIA 5C2100TM-1100 027 96.
- [23-20] B. Levesy, Mesure de cisaillement sur éprouvettes soudées avec ruban, Internal Report CEA/DAPNIA 5C2100T-1100 036 97.
- [23-21] B. Levesy, Tests de la brasure ZnAl, Internal Report CEA/DAPNIA 5C2100T--1100 049 97.
- [23-22] D. Campi, Guidelines for the pre-industrialisation program for the CMS conductor, CMS Internal note, 1997, 018.

CHAPTER 24

- [24-1] D. Campi, Guidelines for the pre-industrialisation program for the CMS winding, CMS Internal note, 1997, 017.
- [24-2] E. Baynham and D. Evans, RAL, private communication.
- [24-3] A. Yamamoto, KEK, private communication.

CHAPTER 25

- [25-1] Technical Proposal CMS, CERN/LHC 94-38. LHCC/P1, 15 December 1994.
- [25-2] Minutes of the CERN Research Board, Meeting on 8 February 1996, CERN/DG/Research Board 96-237, Minutes 125, 26 February, 1996.
- [25-3] Ongoing contractual preparation of tendering documents with civil engineering consortium GIBB-SGI-GEOCONSULT, CERN ST-CE, schedule No. LHC/CE G023 rev.0.5.

CHAPTER 27

- [27-1] T. Meyer, CMS-GE-CERN-QAP-0100.00 (on progress) QAP Contents and Status
- [27-2] CMS Magnet QAP (on progress, as part of the General CMS QAP)
- [27.3] G. Bachy, Ari Pekka Hameri, What to be implemented at the early stage of a large scale project. CERN-MT/95-02 (DI) LHC Note 315
- [27.4] Saclay Technical Team, Plan d'assurance qualité 5C2100Q - - 000 001 PA

CHAPTER 28

- [28-1] Eurocode 3, Design of steel structures (ENV 1993-1-1 edited by Comité Européen de Normalisation).
- [28-2] American Institute of Steel Construction, Manual of Steel Construction, Allowable Stress Design, 9th ed, Dec. 1995.
- [28-3] CODAP 95, (French Code for Unfired Pressure Vessels) edited by Syndicat National de la Chaudronnerie, de la Tôlerie et de la Tuyauterie Industrielle, Paris, 30 June 1995.

- [28-4] 1992 ASME Boiler and Pressure Vessel Code - Section VIII, Rules for Construction of Pressure Vessels, American Society of Mechanical Engineers, New York, 1992.
- [28-5] R. Barrillère, F. Perriollat, CMS DCS, User Requirements Document 01 February 1996.
- [28-6] J. Pothier, BBL3, Nouveau Concept en Sécurité Câblée, 1992.

CHAPTER 29

- [29-1] M. Huhtinen, Radiation environment simulations for the CMS detector, CERN CMS TN/95-198, 1995, Presented at SARE2 workshop, CERN, 9-11 October, 1995, Proceedings: CERN/TIS-RP/97-05 (1997).
- [29-2] A.I. Drozhdin, M. Huhtinen and N.V. Mokhov, Accelerator related background in the CMS detector at LHC, Nucl. Instr. and Meth. A381, 1996, 531.
Azhgirey, V. Talanov, A. Uzunian, Background muons generated in the CMS detector area by the beam losses in the LHC, CERN CMS TN/95-202, 1995.
- [29-3] J. Ranft, Phys. Rev. D51 (1995) 64. J. Ranft, DPMJET-II, a Dual Parton Model event generator for hadron-hadron, hadron-nucleus and nucleus-nucleus collisions, Presented at SARE2 workshop, CERN, 9-11 October, 1995, Proceedings: CERN/TIS-RP/97-05, 1997.
- [29-4] P.A. Aarnio et al., CERN TIS-RP/168 (1986) and CERN TIS-RP/190 (1987).
A. Fassò et al., Proc IV Int. Conf. on Calorimetry in High Energy Physics, La Biodola, Sept. 20-25, 1993, Ed. A. Menzione and A. Scribano, World Scientific, p. 493, 1993.
- [29-5] M. Huhtinen and G. R. Stevenson, Shielding requirements in the CMS experimental area, CERN CMS TN/95-056, 1995.
- [29-6] A. Fassò et al, Nucl. Instr. and Meth. A332 (1993) 459. G. Stevenson, Adv. Space Res. 17 (1995) 2. C. Birattari et al., Nucl. Instr. and Meth. A338, 1994, 534.
- [29-7] M. Huhtinen, Method for Estimating Dose rates from Induced Radioactivity in Complicated Hadron Accelerator Geometries, to be published as CERN TIS Divisional Report, 1997.
- [29-8] M. Hoefert, K. Potter and G.R. Stevenson, Summary of Design Values, Dose Limits, Interaction Rates etc. for use in estimating Radiological Quantities associated with LHC Operation, CERN/TIS-RP/IR/95-19.1, 1995.
- [29-9] M. Huhtinen and G.R. Stevenson, Radiological Impact of Access Ways and other Shield Penetrations in the CMS Experimental Area, CERN/TIS-RP/IR/96-24, 1996.

CHAPTER 31

- [31-1] Guidelines on CMS Common Project Contributions, CMS-M/97-013.
- [31.2] Financial guidelines for LHC collaboration (CERN/FC/3797).